Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	24	((network same traffic same destination) same (geographic or local or locality or region)) and map and @pd>"20040905"	USPAT	OR	OFF	2005/06/10 16:55
S66	111	(bandwidth near2 maximum) and 709/217,218,219,223,224,225,226, 232,233,235,238,239,245,249,250. ccls. and traffic	USPAT	OR	OFF	2005/06/10 16:56
S58	8038	709/217,218,219,223,224,225,226, 232,233,235,238,239,245,249,250. ccls.	USPAT	OR	OFF	2005/06/10 16:56
S24	1229	709/217,218,219,223,224,225,226, 232,233,235,238,239,245,249,250. ccls. and (heirarchy or hierarchy)	USPAT	OR	OFF	2005/06/10 16:56

	-			ı	<del></del>	
S19	186	(709/245.ccls. not ((((network	USPAT	OR	OFF	2005/06/10 16:56
		same traffic same destination)				
		same (geographic or local or locality				
		or region) and 709/217,218,219,				
		223,224,225,226,232,233,235,238,				
		239,245,249,250.ccls.) not				
		((("370"/\$.ccls. or "709"/\$.ccls.)				
		• • • • • • • • • • • • • • • • • • • •				
		and ((network with traffic with				
ĺ		destination) same (geographic or		Ì		
		loca\$6 or region)) not map) or				
		(("370"/\$.ccls. or "709"/\$.ccls.) and		i		
		((network with traffic with				
		destination) same (geographic or				
		loca\$6 or region)) and map))) or				
		((network same traffic same				
		destination) same (geographic or				
		local or locality or region) and				
		bandwidth not ((("370"/\$.ccls. or			İ	
		"709"/\$.ccls.) and ((network with				
		traffic with destination) same			1	
	•	(geographic or loca\$6 or region))				
		and map) or (("370"/\$.ccls. or				
		"709"/\$.ccls.) and ((network with				
		traffic with destination) same				
		(geographic or loca\$6 or region))				
		not map) or (((network same traffic				
		same destination) same				
		(geographic or local or locality or				
		region) and 709/217,218,219,223,			1	
		224,225,226,232,233,235,238,239,				
		245,249,250.ccls.) not ((("370"/\$.				
		ccls. or "709"/\$.ccls.) and ((network				
		with traffic with destination) same				
		(geographic or loca\$6 or region))				
		not map) or (("370"/\$.ccls. or				
		"709"/\$.ccls.) and ((network with				
		traffic with destination) same				
		(geographic or loca\$6 or region))				
		and map)))) and ("370"/\$.ccls. or				
	·	"709"/\$.ccls.)) or (("370"/\$.ccls. or				
		"709"/\$.ccls.) and ((network with				
	•	traffic with destination) same			-	
		(geographic or loca\$6 or region))				
		not map) or (("370"/\$.ccls. or				
		"709"/\$.ccls.) and ((network with				
		traffic with destination) same				
		(geographic or loca\$6 or region))				
		and map) or ((("6185598") or			1	
		("6275470") or ("6151631") or				
		("4939726") or ("5042032") or				
		("5115433") or ("5488608") or				
		("5490252") or ("5878126") or				
				1		
		("5948061") or ("6012088") or				
		("6035332") or ("6130890")).PN.)				
		or ((network with traffic with				
		destination) same geographic)))				
		and traffic and network				<u></u>
	<del>' : </del>	·	L	·	J	<del></del>

[ G7	470	/ - 1 · 1 · 6		1	l	
S7	179	(network same traffic same destination) same (geographic or local or locality or region) and bandwidth not ((("370"/\$.ccls. or "709"/\$.ccls.) and ((network with traffic with destination) same (geographic or loca\$6 or region)) and map) or (("370"/\$.ccls. or "709"/\$.ccls.) and ((network with traffic with destination) same (geographic or loca\$6 or region)) not map) or (((network same traffic same destination) same (geographic or local or locality or region) and 709/217,218,219,223, 224,225,226,232,233,235,238,239, 245,249,250.ccls.) not ((("370"/\$.ccls. or "709"/\$.ccls.) and ((network with traffic with destination) same (geographic or loca\$6 or region)) not map) or (("370"/\$.ccls. or "709"/\$.ccls.) and ((network with traffic with destination) same (geographic or loca\$6 or region)) and map))))	USPAT	OR	OFF	2005/06/10 16:56
S3	492	(network same traffic same destination) same (geographic or local or locality or region)	USPAT	OR	OFF	2005/06/10 16:56
L7	27.	(bandwidth near2 maximum) and 709/217,218,219,223,224,225,226, 232,233,235,238,239,245,249,250. ccls. and traffic and @pd>"20040905"	USPAT	OR	OFF	2005/06/10 16:56
L6	1287	709/217,218,219,223,224,225,226, 232,233,235,238,239,245,249,250. ccls. and @pd>"20040905"	USPAT	OR	OFF	2005/06/10 16:56
L5	189	709/217,218,219,223,224,225,226, 232,233,235,238,239,245,249,250. ccls. and (heirarchy or hierarchy) and @pd>"20040905"	USPAT	OR	OFF	2005/06/10 16:56

L4	35	(709/245 ccls_not ((((notwork	LICDAT	OB	OFF	2005/06/10 16:56
L4	35	(709/245.ccls. not ((((network same traffic same destination)	USPAT	OR	OFF	2005/06/10 16:56
		same (geographic or local or locality				
		or region) and 709/217,218,219,				
		223,224,225,226,232,233,235,238,				
		239,245,249,250.ccls.) not				
		((("370"/\$.ccls. or "709"/\$.ccls.)				
		and ((network with traffic with			:	
		destination) same (geographic or				
}	ł 	loca\$6 or region)) not map) or			Ì	į
		(("370"/\$.ccls. or "709"/\$.ccls.) and				
		((network with traffic with				
ŀ		destination) same (geographic or				
		loca\$6 or region)) and map))) or				
		((network same traffic same				
1		destination) same (geographic or		İ		
*		local or locality or region) and				. ·
		bandwidth not ((("370"/\$.ccls. or				
		"709"/\$.ccls.) and ((network with				
		traffic with destination) same				
		(geographic or loca\$6 or region))				
		and map) or (("370"/\$.ccls. or				
		"709"/\$.ccls.) and ((network with				
		traffic with destination) same				
		(geographic or loca\$6 or region))				
		not map) or (((network same traffic				
		same destination) same				
		(geographic or local or locality or				
		region) and 709/217,218,219,223,				
		224,225,226,232,233,235,238,239,				
		245,249,250.ccls.) not ((("370"/\$.				
		ccls. or "709"/\$.ccls.) and ((network				
		with traffic with destination) same				
		(geographic or loca\$6 or region))				
		not map) or (("370"/\$.ccls. or	•			
		"709"/\$.ccls.) and ((network with				
		traffic with destination) same				
		(geographic or loca\$6 or region))				
		and map)))) and ("370"/\$.ccls. or				
		"709"/\$.ccls.)) or (("370"/\$.ccls. or "709"/\$.ccls.) and ((network with				
		traffic with destination) same				
		(geographic or loca\$6 or region))				
		not map) or (("370"/\$.ccls. or				
		"709"/\$.ccls.) and ((network with				
		traffic with destination) same				
		(geographic or loca\$6 or region))				
		and map) or ((("6185598") or				
		("6275470") or ("6151631") or				
		("4939726") or ("5042032") or				
		("5115433") or ("5488608") or			1	
		("5490252") or ("5878126") or				
		("5948061") or ("6012088") or			-	
		("6035332") or ("6130890")).PN.)				
		or ((network with traffic with				
		destination) same geographic)))				
		and traffic and network and				
		@pd>"20040905"				
Search P	<del>"IIstory 6/10</del> ,	705 5:00:19 PM Page 4	<u> </u>	<u> </u>	<del></del> _	l

	,	<del></del>				
L3	20	(network same traffic same destination) same (geographic or local or locality or region) and bandwidth not ((("370"/\$.ccls. or "709"/\$.ccls.) and ((network with traffic with destination) same (geographic or loca\$6 or region)) and map) or (("370"/\$.ccls. or "709"/\$.ccls.) and ((network with traffic with destination) same (geographic or loca\$6 or region)) not map) or (((network same traffic same destination) same (geographic or local or locality or region) and 709/217,218,219,223, 224,225,226,232,233,235,238,239, 245,249,250.ccls.) not ((("370"/\$. ccls. or "709"/\$.ccls.) and ((network with traffic with destination) same (geographic or loca\$6 or region)) not map) or (("370"/\$.ccls. or "709"/\$.ccls.) and ((network with traffic with destination) same (geographic or loca\$6 or region)) and map)))) and @pd>"20040905"	USPAT	OR	OFF	2005/06/10 16:56
L2	57	(network same traffic same destination) same (geographic or local or locality or region) and @pd>"20040905"	USPAT	OR	OFF	2005/06/10 16:56
S71	34	bandwidth near2 available near3 destination and bandwidth	USPAT	OR	OFF	2005/06/10 16:57
S69	407	709/217,218,219,223,224,225,226, 232,233,235,238,239,245,249,250. ccls. and (bandwidth near2 available) and traffic	USPAT	OR	OFF	2005/06/10 16:57
S67	8566	bandwidth near2 available	USPAT	OR	OFF	2005/06/10 16:57

	<del> </del>					
S49	6	("709"/\$.ccls. or "370"/\$.ccls.) and	USPAT	OR	OFF	2005/06/10 16:57
		network.ab. and traffic.ab. and				
		geographic\$.ab. not ((((709/245.				
		ccls. not ((((network same traffic				
		same destination) same				
		(geographic or local or locality or				
		region) and 709/217,218,219,223,				
		224,225,226,232,233,235,238,239,				
	 	245,249,250.ccls.) not ((("370"/\$.		1		
		ccls. or "709"/\$.ccls.) and ((network				
		with traffic with destination) same				
		(geographic or loca\$6 or region))				
		not map) or (("370"/\$.ccls. or				
		"709"/\$.ccls.) and ((network with				
		traffic with destination) same				
-		(geographic or loca\$6 or region))				
		and map))) or ((network same		1	•	
İ		traffic same destination) same				
		(geographic or local or locality or				
		region) and bandwidth not				
		((("370"/\$.ccls. or "709"/\$.ccls.)		ļ		
		and ((network with traffic with			٠.	
İ		destination) same (geographic or				
		loca\$6 or region)) and map) or				
		(("370"/\$.ccls. or "709"/\$.ccls.) and				
		((network with traffic with				
		destination) same (geographic or			İ	
		loca\$6 or region)) not map) or				
		(((network same traffic same				
		destination) same (geographic or		1		
		local or locality or region) and				
		709/217,218,219,223,224,225,226,				
		232,233,235,238,239,245,249,250.				
		ccls.) not ((("370"/\$.ccls. or				
		"709"/\$.ccls.) and ((network with				
		traffic with destination) same				
		(geographic or loca\$6 or region))			-	
		not map) or (("370"/\$.ccls. or				
		"709"/\$.ccls.) and ((network with traffic with destination) same				
		(geographic or loca\$6 or region))				
		and map)))) and ("370"/\$.ccls. or				
		"709"/\$.ccls.)) or (("370"/\$.ccls. or			1	
		"709"/\$.ccls.) and ((network with				
		traffic with destination) same			1	
		(geographic or loca\$6 or region))				
		not map) or (("370"/\$.ccls. or			•	
		"709"/\$.ccls.) and ((network with				
		traffic with destination) same				
		(geographic or loca\$6 or region))				
		and map) or ((("6185598") or				·
		("6275470") or ("6151631") or				
		("4939726") or ("5042032") or		1		
		("5115433") or ("5488608") or				
		("5490252") or ("5878126") or			1	
		("5948061") or ("6012088") or	1			
		("6035332") or ("6130890")).PN.)				
		or ((notwork with traffic with				
Search I	History 6/10	Odest(hatigh) same geographic)))				
C:\Docu	iments and Se	105 Stiff Horn Same geographic))) ttiggs/AGada Wy 999050318 FAS [ Workspa	res\09702094.	wsp		
		and network) or (((network same	1	1	Ι,	

S34	1032	"709"/\$.ccls. and topology not (709/217,218,219,223,224,225,226, 232,233,235,238,239,245,249,250. ccls. and (heirarchy or hierarchy) and network and traffic and map and route and host) and network and traffic	USPAT	OR	OFF	2005/06/10 16:57
L11	3	bandwidth near2 available near3 destination and bandwidth and @pd>"20040905"	USPAT	OR	OFF	2005/06/10 16:57
L10	144	"709"/\$.ccls. and topology not (709/217,218,219,223,224,225,226, 232,233,235,238,239,245,249,250. ccls. and (heirarchy or hierarchy) and network and traffic and map and route and host) and network and traffic and @pd>"20040905"	USPAT	OR	OFF	2005/06/10 16:57
L9	102	709/217,218,219,223,224,225,226, 232,233,235,238,239,245,249,250. ccls. and (bandwidth near2 available) and traffic and @pd>"20040905"	USPAT	OR	OFF	2005/06/10 16:57
L8	962	bandwidth near2 available and @pd>"20040905"	USPAT	OR	OFF	2005/06/10 16:57